Contents

International Advisory Board and Local Organizing Committee (Łódź) xi

List of Participants xii

Preface xviii

I. Conducting Polymers

(a) Polyacetylenes

Mechanisms limiting the d.c. conductivity of high-conductivity polyacetylene 1
Th. Schimmel, M. Schwoerer (Bayreuth, F.R.G.) and H. Naarmann (Ludwigshafen, F.R.G.)

Conductivity of doped polyacetylenes and their morphology 7
J. Płocharski (Warsaw, Poland), W. Pukacki and S. Roth (Stuttgart, F.R.G.)

Pyrolysis and electrical properties of polycyanoacetylene 13
B. T. Hsieh, H. M. Cheng and G. J. Jiang (Chung Li, Taiwan)

A novel barrier model for fluctuation-induced tunnelling in highly conductive polyacetylene 23
G. Paasch, G. Lehmann and L. Wuckel (Dresden, G.D.R.)

Analysis of the electronic structure of polyacetylene from optical absorption spectra (abstract) 33
V. M. Kobryansky and E. A. Tereshko (Moscow, U.S.S.R.)

Dependence of conjugation length on the polymerization depth 35
V. M. Kobryansky and E. A. Tereshko (Moscow, U.S.S.R.)

Magnetic resonance studies of alkali-doped polyacetylene (abstract) 41
P. Bernier, C. Fite, A. El-Khodary, F. Rachdi, K. Zniber, H. Bleier and N. Coustel (Montpellier, France)

(b) Polyanilines

Phenyl ring rotations, structural order and electronic states in polyaniline 45
J. M. Ginder, A. J. Epstein (Columbus, OH, U.S.A.) and A. G. MacDiarmid (Philadelphia, PA, U.S.A.)

Resonance Raman scattering of spin-carrying states in polyaniline 57
M. Bartonek and H. Kuzmany (Vienna, Austria)

Electrochemical properties of polyaniline in highly concentrated acids 63
Ya. L. Kogan, I. G. Shunina and V. I. Savchenko (Chernogolovka, U.S.S.R.)

Electron microscopy and X-ray diffraction studies of polyaniline films 69
V. V. Shevchenko, L. V. Yemelina, Ya. L. Kogan, G. V. Gedrovich and V. I. Savchenko (Chernogolovka, U.S.S.R.)

In situ ellipsometric measurements of polyaniline and its soluble methoxy-substituted derivatives (abstract) 73
K. Brudzewski and B. K. Grodzicka (Warsaw, Poland)

Electrochemical *in situ* EPR study of insulator-to-metal transition in polyaniline (abstract) 74
N. T. Ioffe, Ya. L. Kogan and V. G. Mairanovskii (Chernogolovka, U.S.S.R.)

Elsevier Sequoia/Printed in The Netherlands

Viscosimetric investigation of polyaniline solutions (abstract) 75
Ya. L. Kogan, L. S. Fokeyeva and V. I. Savchenko (Chernogolovka, U.S.S.R.)

(c) Other Conjugated Polymers with Aromatic Rings

Some new model structures designed so as to understand the origin of conductivity in polymeric organic metals 79
V. Enkelmann, J. Rühe and G. Wegner (Mainz, F.R.G.)

Raman spectra of conducting polymers with aromatic rings 91
S. Lefrant, J. P. Buisson (Nantes, France) and H. Eckhardt (Morristown, NJ, U.S.A.)

Modification of polyacetylene and polyalkylthiophene by doping with heteropolyanions 99
M. Zagórska, I. Kulszewicz-Bajer, E. Łukomska-Godzisz, A. Proń (Warsaw, Poland), I. Głowacki, J. Ulański (Łódź, Poland) and S. Lefrant (Nantes, France)

D.c. conductivity and thermopower of $FeCl_3$-doped poly(*p*-phenylene) 107
R. Callaerts, H. Krikor, R. Mertens and P. Nagels (Antwerp, Belgium)

Electrochemical oxidation and reduction on polypyrrole electrodes 115
A. Chyla (Wrocław, Poland), D. J. Walton and C. Hall (Coventry, U.K.)

Determination of field-effect mobility of poly(3-hexylthiophene) upon exposure to NH_3 gas 123
A. Assadi, G. Gustafsson, M. Willander, C. Svensson and O. Inganäs (Linköping, Sweden)

Conformational structures and physical properties of electroactive polymers (abstract) 131
H. Kuzmany (Vienna, Austria)

Infrared studies of the electronic structure of conducting organic crystals and polymers (abstract) 132
A. Graja (Poznań, Poland)

Regiochemistry of the oxidative polymerization of 1,8-dihydrobenzodipyrrole (abstract) 133
A. Berlin, G. Pagani (Milan, Italy), G. Schiavon and G. Zotti (Padua, Italy)

Characterization of conducting poly(dithieno(3,4-*b*:3′,4′-*d*)thiophene) (abstract) 134
A. Bolognesi, M. Catellani, S. Destri (Milan, Italy), C. Taliani and R. Zamboni (Bologna, Italy)

II. Heterogeneous Conducting Polymer Systems

Non-aqueous polypyrrole colloids: synthesis and characterization 137
S. P. Armes and M. Aldissi (Los Alamos, NM, U.S.A.)

Synthesis and characterization of conducting polymer blends of poly(3-alkylthiophenes) 145
J. Laakso, J.-E. Österholm, P. Nyholm (Porvoo, Finland), H. Stubb and E. Punkka (Espoo, Finland)

Laser-induced generation of highly conducting areas in poly(bis-alkylthioacetylenes) 151
H.-K. Roth, H. Gruber (Leipzig, G.D.R.), E. Fanghänel, A. M. Richter (Merseburg, G.D.R.) and W. Hörig (Leipzig, G.D.R.)

Temperature and frequency dependences of microwave conductivity of isotropic reticulate doped polymers 165
J. Ulański (Łódź, Poland), G. Lüpke, M. Dressel and H. W. Helberg (Göttingen, F.R.G.)

Optical and electrical properties of anisotropic polyolefin–CT complex composites 175
A. Tracz, E. El Shafee, J. Ulański, J. K. Jeszka and M. Kryszewski (Łódź, Poland)

Conductive poly(vinylidene fluoride) reticulate doped with the CT complex TTF-TCNQ 181
C. H. Choi, (Villeurbanne, France), A. Tracz, J. K. Jeszka, (Łódź, Poland), G. Boiteux, G. Seytre (Villeurbanne, France), J. Ulański and M. Kryszewski (Łódź, Poland)

A highly conductive form of the $S^+Et_2Me(TCNQ)_2$ complex in reticulate doped polymer films 189
J. Pęcherz (Łódź, Poland), L. Firlej (Poznań, Poland), J. K. Jeszka, J. Ulański and M. Kryszewski (Łódź, Poland)

III. Optically Active Materials

Thermochromism in poly(3-alkylthiophenes) and their polymer blends 195
O. Inganäs and G. Gustafsson (Linköping, Sweden)

Developments of optically nonlinear polymers and devices 207
G. R. Möhlmann (Arnhem, The Netherlands)

Frequency variation of cubic susceptibility in the new conjugated polymers PTT and PDTB 223
F. Kajzar (Gif-sur-Yvette, France), G. Ruani, C. Taliani and R. Zamboni (Bologna, Italy)

Multiphoton nonlinear interactions in conjugated organic polymers 231
H. J. Byrne and W. Blau (Dublin, Ireland)

Optical third-harmonic generation in substituted poly(phenylacetylenes) and poly(3-decylthiophenes) 249
D. Neher, A. Wolf, M. Leclerc, A. Kaltbeitzel, C. Bubeck and G. Wegner (Mainz, F.R.G.)

Electrical, photoelectrical and nonlinear optical properties of a new form of soluble polyacetylene. 255
J. Pfleger, I. Kminek, S. Nešpůrek (Prague, Czechoslovakia) and P. N. Prasad (Buffalo, NY, U.S.A.)

Spectral hole burning in doped polymers: fundamentals and applications (abstract) 263
K. K. Rebane and J. Kikas (Tallinn, U.S.S.R.)

Amorphous silica doped with organic impurities as optically active material for low-temperature hole-burning spectroscopy (abstract) 264
J. Bitova and I. Renge (Tallinn, U.S.S.R.)

Electro-optic behaviour of polymer-dispersed liquid crystal films (abstract). 265
M. Mucha and M. Kryszewski (Łódź, Poland)

Electronic spectra and *trans–cis* photoisomerization of azobenzene molecules in oriented polyethylene matrix (abstract). 266
P. Uznański, M. Kryszewski (Łódź, Poland) and E. W. Thulstrup (Copenhagen, Denmark)

Time-resolved studies of excimers in crystalline isotactic polystyrene (abstract). 267
B. Wandelt (Łódź, Poland), D. J. S. Birch, R. E. Imhof and R. A. Pethrick (Glasgow, U.K.)

IV. Semiconducting and Dielectric Materials

Poole–Frenkel behavior of charge transport in organic solids with off-diagonal disorder studied by Monte Carlo simulation. 271
L. Pautmeier, R. Richert and H. Bässler (Marburg, F.R.G.)

Structure and polarization in piezoelectric polymers 283
D. Geiss (Teltow-Seehof, G.D.R.)

Manifestation of glass transition in electronic charge transport in Si and Ge backbone polymers 295
M. Stolka, M. A. Abkowitz, F. E. Knier, R. J. Weagley and K. M. McGrane (Webster, NY, U.S.A.)

Electrical properties of polymerizing single-crystalline pTS diacetylene 305
J. Sworakowski (Wrocław, Poland)

A double sine-Gordon equation from a continuum model of polydiacetylene 313
K. Pesz (Wrocław, Poland)

Photoconductivity action spectra in single crystals of polydiacetylenes 321
M. Orczyk (Wrocław, Poland)

Copper tetra-4-t-butylphthalocyanine Langmuir–Blodgett films: photoelectrical and structural studies 327
E. Brynda, L. Kalvoda, I. Koropecky, S. Nešpůrek and J. Rakusan (Prague, Czechoslovakia)

Electrical conduction and dipole orientation of acrylonitrile/methyl acrylate copolymer 335
H. von Berlepsch, R. Danz and D. Geiss (Teltow, G.D.R.)

Preparation of thin hydrogenated carbon and silicon–carbon layers 341
J. Ullmann and F. Jakschik (Karl-Marx-Stadt, G.D.R.)

Dielectric and electric relaxation in amorphous ionenes (abstract) 349
F. Kremer, L. Dominguez, W. H. Meyer and U. Simmrock (Mainz, F.R.G.)

Electrochemical synthesis and properties of poly(dihydroxyindole), a synthetic analog of melanin (abstract) 350
M. Zieliński and C. Pande (Stamford, CT, U.S.A.)

Charge-carrier photogeneration in polymers (abstract) 352
S. Nešpůrek and V. Cimrová (Prague, Czechoslovakia)

Charge transfer in photoconductors (abstract) 353
P. Wünsche and D. Althausen (Leipzig, G.D.R.)

Photoconductivity of a polyparacyclophane·TCNE CT complex (abstract) 354
J. Kubacki, J. Ulański, I. Głowacki (Łódź, Poland), D. T. Glatzhofer (Norman, OK, U.S.A.) and M. Kryszewski (Łódź, Poland)

Estimation of distributions of activation parameters of thermally stimulated processes (abstract) 355
P. Wünsche (Leipzig, G.D.R.)

TSC drift measurements of photoconductive polymers (abstract) 356
S. Schrader (Berlin, G.D.R.)

Thermally stimulated time-of-flight experiments (abstract) 357
I. Głowacki, J. Ulański, J. Sielski and M. Kryszewski (Łódź, Poland)

Non-isothermal dispersive transient currents in non-homogeneous insulating layers (abstract) 358
J. Rybicki, M. Chybicki (Gdańsk, Poland), S. Feliziani and G. Mancini (Camerino, Italy)

Approximate analytical formulae for thermally stimulated conductivity and thermoluminescence (abstract) 360
A. Mandowski and J. Świątek (Częstochowa, Poland)

Author Index of Volume 37 361

Subject Index of Volume 37 363